



KINGLEAD SEWING MACHINE CO.,LTD

Add: Xiachen Industrial Area, Jiaojiang, Taizhou, Zhejiang, China - 318000

Web: www.kingleadsew.com E-mail: sales@kingleadsew.com

Long Arm Cylinder Bed Compound Feed Walking Foot Heavy Duty Leather Sewing Machine



- Applications for Luggage, Suitcase, Bags, Chaps, Jackets, Vests, Handbags, Belts, Straps, Pancake Holsters, Wallets, Purses, Leather Bags, Shaped and Round Cases, Hats and Caps, Backpacks, Heavy Garments, Jeans, Saddle Bags, Motorcycle Seats, Small Animal Harness, Leashes and Collars, Concealed Gun Holsters, Nylon Webbing Tow Ropes, Rifle Slings, Caps, Cushions, Boots, Shoes, Travel ware accessories, and other Tubular and Curved works etc...
- Long Arm Cylinder Bed, Compound Feed, Walking Foot, Vertical-Axis Hook, Safety Clutch, Large Bobbin, Alternating Presser Feet, Side Presser Foot, Tape Binder Device, Positioning Presser Foot etc... are available for options.

Product Details: Long Arm Cylinder Bed Unison Feed Walking Foot Heavy Duty Leather Sewing Machine

Applications: Luggage, Suitcase, Travel Bags, Golf Bags, Finishing Bags, Bags, Wallets, Purses, Leather Bags, Chaps, Jackets, Vests, Handbags, Belts, Straps, Pancake Holsters, Shaped and Round Cases, Purses, Hats and Caps, Backpacks, Heavy Garments, Jeans, Saddle Bags, Motorcycle Seats, Small Animal Harness, Leashes and



KINGLEAD SEWING MACHINE CO.,LTD

Add: Xiachen Industrial Area, Jiaojiang, Taizhou, Zhejiang, China - 318000

Web: www.kingleadsew.com E-mail: sales@kingleadsew.com

Collars, Concealed Gun Holsters, Nylon Webbing Tow Ropes, Rifle Slings, Caps, Cushions, Boots, Shoes, Luggage, Travel ware accessories, and other Tubular and Curved works etc...



The KINGLEAD Long Arm Cylinder Bed Compound Feed Walking Foot Heavy Duty Leather Sewing Machine

The machine available for sewing wallets, purses, leather bags, chaps, jackets, vests, handbags, belts, upholstery, saddlebags, boots as well as automobile and boat covers, sails, tents, awnings, luggage, orthopaedic appliances, sports equipment, jawing jeans, tents. Seat cushions, leather goods etc. The adoption of automatic lubricating system guarantee the stable sewing performance, high efficiency and excellent quality. Best fit for sewing packages, sports goods, toys, phone cases, shoes. Twofold big kettle and shuttle can avoid change often, less waste, improve efficiency. Competitive material feed setting, smooth sewing, high quality. New style adjust setting, adjust onward and backward sewing simply. New style double pivot inverse sewing setting, stand against friction, precise after long time usage. sewing speed:2200rpm needle pole journey:38mm stitch length: 8.0mm cylinder dia:47mmheight of presser foot:15mm needle:DPx17 fluctuate height of presser foot: 2-6mm

This machine is specially designed for luggage manufacturing cylindrical thick flat sewing machine, solid structure, modelling is novel. Adopts sliding bar pick line, constitute a double lock stitch, upper and lower shaft with synchronous toothed belt transmission. Presser foot, feed dog, needle feed and lever type stitch regulator. High



KINGLEAD SEWING MACHINE CO.,LTD

Add: Xiachen Industrial Area, Jiaojiang, Taizhou, Zhejiang, China - 318000

Web: www.kingleadsew.com E-mail: sales@kingleadsew.com

voltage foot pieces, high pressure foot clearance and stitch length cooperate with cylindrical seaming machine. Is suitable for sewing heavy bags, luggage, mattresses, especially suitable for the bags around.

Features: At the base of up-down Synchronized feeding material, we develop the up feeding materials single system which is distinguished from the down feeding materials, to make feeding materials synchronized, as the specialized equipment of flap cover, it adds the versatility and practicality in sewing heavy materials. Side Presser Foot, Positioning Presser Foot, Adjustable Positioning Device, Tape Binding Device are all available for more options. A full synchronized binder version is also available which features a special triple feeding set and synchronized bottom plate with binder attachment for professional binding applications.



Specifications:

Model NO.:	KD-246L
Max. Sewing Speed:	2200r.p.m
Stitch Length:	0-8mm
Presser Foot Lift:	16mm
Arm Length:	480mm, 600mm, 800mm, 1000mm are available for customized
Diameter of Cylinder:	46mm
Needle Type:	DPx17 #18-#23



KINGLEAD SEWING MACHINE CO.,LTD

Add: Xiachen Industrial Area, Jiaojiang, Taizhou, Zhejiang, China - 318000

Web: www.kingleadsew.com E-mail: sales@kingleadsew.com

Weight:	40KGS
Bed Type:	Small Cylinder Bed
Presser Foot:	Walking Foot
Feed System:	Compound Feed

KINGLEAD Single Needle Long Arm Cylinder Bed Unison Feed Walking Foot Heavy Duty Leather Sewing Machine



KINGLEAD



E-mail: sales@kingleadsew.com
www.kingleadsew.com